CANTERRA SEEDS
Seed the Difference.™

Technical Bulletin

AAC Lariat


Barley · Two-row feed (general purpose)

Reliable two-row general-purpose feed barley for western Canada

- Yields 103% of CDC Austenson in SK Area 1 & 2 and 100% in Area 3 & 4
- 106% of CDC Austenson in Alberta
- 100% of CDC Austenson in Manitoba
- Performs well in both the drier, longer-season areas (SK 1 & 2) and the wetter, shorter-season areas (SK 3 & 4)
- Good lodging resistance, 76 cm tall
- Better net-form net blotch resistance than CDC Austenson (R vs MS)




YIELD PERFORMANCE vs CDC Durango · 2026 provincial seed guides · comparisons other than the check are worked out from each source's % of check




OVERALL CHARACTERISTICS	
Type	Two-row feed (general purpose)
Maturity	Mid
Height	76 cm
Lodging resistance	Good

AT A GLANCE

Height and maturity vs CDC Durango




Resistance at a glance (SaskSeed Guide 2026)



Management tips — these ratings are well handled with standard practices and don't take away from the variety's value

- **FHB (MS):** manage with a timely fungicide at early flowering, crop rotation away from cereals and corn, and a seed treatment
- **Scald (S):** rotation and a foliar fungicide at flag leaf in wet seasons

Yield vs CDC Durango by province



Saskatchewan = average of Areas 1 & 2 and 3 & 4; Alberta = overall yield category; Manitoba = % of the check in Seed Manitoba.

Data: 2026 provincial seed guides (Seed Manitoba, Alberta Seed Guide, SaskSeed Guide) · Printed Nov 1, 2026 · Approved

AAC Lariat · Technical information

Technical Information · Seed Manitoba – 2026

Variety	Yield bu/acre	% Protein	Maturity +/- 88 days	Height +/- 89 cm	Test wt +/- 48.7 lb/bu	Awns	Resistance level								
							Lodging	Loose Smut	Surface-borne Smut	Root Rot	Net Blotch		Spot Blotch	Stem Rust	FHB
											Net form	Spot form			
AAC Lariat	**116**	**12.4**	**+1**	**-3**	**-0.3**	**R**	**G**	**R**	**R**	-	**R**	**MR**	**I**	**R**	**MS**
AAC Synergy	114	12.2	0	-2	-0.4	R	G	S	I	I	MR	R	R	MR	I
CDC Austenson	116	12.2	+1	0	+0.5	R	G	S	R	I	MS	R	R	I	I
CDC Durango	114	12.4	+2	-3	+0.1	R	VG	S	R	-	MR	MS	I	I	I
Esma	115	12.1	+1	-10	-0.4	-	G	R	NT	NT	MS	MS	MS	NT	I
Sirish	105	12.4	+1	-13	-0.3	R	VG	S	R	-	MS	MS	MS	S	MS

Alberta Seed Guide – 2026

Variety	Yield Category (% AAC Synergy)			Maturity Rating	Test wt (lb/bu)	TKW (g)	Height (cm)	Lodg.	Loose Smut	Surface-borne Smuts	Scald	Net Blotch		Spot Blotch	FHB
	Overall Yield	Low <113 bu/ac	High ≥113 bu/ac									Net form	Spot form		
AAC Lariat	**107**	**104**	**108**	**+1**	**53**	**48**	**80**	**G**	**R**	**R**	**S**	**MR**	**R**	**I**	**MS**
AAC Synergy	100	100	100	0	53	49	81	F	S	I	S	R	MR	R	I
CDC Austenson	101	98	103	+2	54	49	81	G	S	R	S	R	MS	R	I
CDC Durango	107	101	110	+2	54	50	79	VG	S	R	MS	MS	MR	I	I
Esma	110	114	107	+3	52	51	69	VG	R	XX	S	MS	MS	MS	I
Sirish	106	106	106	+2	53	46	72	VG	S	R	MR	MS	MS	MS	MS

SK Varieties of Grain Crops – 2026

Variety	Yield % AAC Synergy		Maturity	Height (cm)	Lodging	Net-form Net Blotch	Spot-form Net Blotch	Spot Blotch	Scald	FHB	Loose Smut	Other Smuts	Root Rot	Stem Rust
	Area 1 & 2	Area 3 & 4												
AAC Lariat	**105**	**103**	**M**	**76**	**G**	**R**	**MR**	**I**	**S**	**MS**	**R**	**R**	-	**R**
AAC Synergy	100	100	M	76	F	MR	R	R	S	I	S	I	I	MR
CDC Austenson	102	103	M	76	G	MS	R	R	S	I	S	R	I	I
CDC Durango	105	107	M	75	VG	MR	MS	I	MS	I	S	R	-	I
Esma	103	98	M	64	G	MS	MS	MS	S	I	R	-	-	-
Sirish	95	91	M	66	VG	MS	MS	MS	MR	MS	S	R	-	S

Origin: AAFC (Brandon) **Distributor:** CANTERRA SEEDS

Sources: Seed Manitoba 2026, Alberta Seed Guide (Spring 2026), SaskSeed Guide 2026. Alberta maturity is days +/- the check and protein is shown as an absolute % (check + the guide's difference). "-" = rating not available in the guide.

201–1475 Chevrier Boulevard, Winnipeg, Manitoba R3T 1Y7
T 204.988.9750 F 204.487.7682